How to Use / How to Install

Package air conditioner Optional parts

Installation Manual for Windscreen

Always observe for safety

	Illy read this section [Always observe for safety]	and securely install the optional parts.
	e to observe the cautions described here: They	•
■ The fo	llowing indications show the classifications for o	langer, and possible consequences following incorrect handling.
	Incorrect handling could lead to death or serious injury.	
	Incorrect handling could lead to injury	or damage to house and household articles.
	m a test run and make sure that there is no abn ask the customer to transfer these manuals to	ormality and ask your customer to keep this installation sheet with the instructi a new user if the user changes.
		NING
Ask the dealer or specialist for installation I finstalled incorrectly by the user, water leak, electric shock, fire,		Carefully install the panel according to this installation shee
		 Incorrect installation could cause water leak, electric shock,
etc. could result		fire,etc.
Before performing	installation (moving) and electr	
	L CAU	TION
Do not place polyethy		
Do not place polyethy	lene bags in reach of young children	TION If electrical work is necessary, use only specified electric
Do not place polyethy Putting them over the here could result in suffocation. Securely apply heat in	lene bags in reach of young children	TION If electrical work is necessary, use only specified electric wires adapted with current capacity • Use of unsuitable wire could cause electric leak, overheating or fire. Securely perform drain piping work according to the
Do not place polyethy Putting them over the here could result in suffocation. Securely apply heat in condensation occurs	Lene bags in reach of young children ad will block breathing passages, which usulation to refrigerant pipe so that no	TION If electrical work is necessary, use only specified electric wires adapted with current capacity • Use of unsuitable wire could cause electric leak, overheating or fire. Securely perform drain piping work according to the installation manual so that no condensation occurs.
Do not place polyethy Putting them over the here could result in suffocation. Securely apply heat in condensation occurs If heat-insulation is inadequ	Lene bags in reach of young children ad will block breathing passages, which	If electrical work is necessary, use only specified electric wires adapted with current capacity • Use of unsuitable wire could cause electric leak, overheating or fire. Securely perform drain piping work according to the installation manual so that no condensation occurs. • If piping work is incorrect, water leak may occur and ceiling,

This Air Guide prevents reverse rotation of outdoor unit fan when it enters low speed rotation mode with fan controller being operated. It is also used for protection of fan when strong winds, such as in typhoon, wind blowing through tall buildings, etc., strike directly the air outlet. In addition, installation of this product is necessary when cooling operation is to be performed in outside-air temperature of -5° C or lower (down to -15° C).

Pay attention to the following points when installing this product:


1) To eliminate the effects of external winds, be sure to install this unit with back surface facing wall side.

2) Do not install this unit in such orientation where wind blows directly at the back of the unit.

3) Installation of this product will reduce the capacity of the unit (approx. 2 or 3%) and increase the noise of outdoor unit (approx 1 or 2dB) 4) Do not use this product where there is any obstacle at either side or above the outdoor unit (discharged air will be blocked). This may cause a short cycle.

1 Checking parts


Make sure that all the following parts, in addition to this manual, are in this box:






PFR-24-30 (FRONT WINDSCREEN)

INSTALLATION PROCEDURE



#3 - Install the Front Face Panel onto the side panels and the corner gussets as shown with screws provided.



#4 - Secure Safety Cables to the Cabinet chassis with existing cabinet screws (as shown) and tighten up the 2 screws already installed on the Front Face Panel

2 screws on the Front Panel connected to the Safety Cable

A ACCHE



[∠]Location of existing cabinet screws to tie the Safety Cable

(OPTIONAL, not included, to be ordered separately) #5 -If required secure side blocker (s) to the side of the wind screen where there

is direct exposure to wind. Use predrilled

holes and screws provided to secure to screen.

NOTE: Wind Blockers are used to prevent direct wind exposure to the heat exchanger. Windscreens are needed for the operation where the ambient temperature falls below -5° Celsius.

